

Our SR-02 is an extra heavy duty pipe rack and cladding stand attachment designed for double deck scissor lifts



### Key Features

- Weight is applied through the machine deck
- 500 kg capacity
- Securing straps
- Pipe rack jaws safely stow onto mid rail when being used as a cladding stand
- Each stand splits into three component pieces to allow single person fitment

### Benefits

- Aids operatives with the safe elevation of materials to height
- Improves productivity and reduces manual handling issues
- Reduces mewp handrail damage
- Complies with HSE regulations and guidance



**SAFE MEWP**  
BESPOKE MEWP SAFETY SOLUTIONS


[safemewp.com](https://safemewp.com)



0121 326 9100

### Compatibility

- Compatible with all double deck scissor lifts



### Guidance

**When using the SR-02 material handling attachment, mepw users should be assisted in satisfying the following;**

- i. PUWER - requires that the work equipment provided is "suitable for use".
- ii. LOLER - requires that lifting equipment (any equipment... including accessories ... used at work for lifting or lowering loads) is sufficiently strong and stable, positioned or installed to prevent the risk of injury and visibly marked for its safe use (SWLs etc). Evidence of a thorough examination must be provided.
- iii. Industry Guidance - HSE information sheet CIS58 "The Selection and Management of MEWPs" states that an "appropriate material handling attachment" should be considered to "reduce the risk of overturning and remove the need to balance materials on the MEWPs handrails and minimise the risk of injury due to manual handling".



### SR-02 Technical Specifications

- Maximum working load-500 kg
- Attachment weight -44 kg (per set)
- Extra heavy duty non slip rubber applied to jaws to reduce material movement
- Material securing straps
- Jaw width-20.3 cm
- Jaw depth-7.6 cm
- Maximum product dimensions- (w) 100 cm x (l) 120 cm x (h) 128 cm
- Maximum length of materials permitted-User defined after conducting a full risk assessment and varies dependant on the type of materials to be elevated
- 24/7 365 days a week product after sales support

